

Table of Contents

Color scheme settings for TWikiNetSkin.....	1
Usage.....	1
Step 1.....	1
Step 2.....	1
Step 3.....	1
Color variables.....	1
TWikiNetSkin specific.....	1
SHADE_TOPTOOLBAR_BORDER.....	1
SHADE_TOPTOOLBAR_BACKGROUND.....	1
SHADE_SIDE_BAR_STRONG_TEXT.....	1
SHADE_BLOCKQUOTE_BACKGROUND.....	1
SHADE_TWIKIFORM_TABLECELL_BORDER.....	1
SHADE_TWIKITABLE_HEADER_BACKGROUND.....	1
SHADE_TWIKIFORM_FIRSTCOL_BACKGROUND.....	2
SHADE_TWIKIFORM_HEADER_BACKGROUND.....	2
SHADE_BOTTOM_BAR_BACKGROUND.....	2
SHADE_BOTTOM_BAR_TEXT.....	2
SHADE_ALERT_TEXT.....	2
SHADE_BLUEISH_TEXT.....	2
SHADE_DARKISH_TEXT.....	2
SHADE_TOPTOOLBAR_WEBNAME_TEXT.....	2
SHADE_BROADCASTMESSAGE_BACKGROUND.....	2
Logical groupings.....	2
Text.....	2
MAIN_TEXT_COLOR Main text color.....	2
MAIN_BACKGROUND_COLOR Main background color.....	2
LIGHT_ON_DARK_TEXT_COLOR Light on dark text color.....	2
GRAYED_TEXT_COLOR.....	3
GENERAL_TEXT General text (if not set in MAIN_BACKGROUND_COLOR) (black)....	3
HEADER_TEXT Header text.....	3
CODE_TEXT Code text, left bar text and links.....	3
MUTED_TEXT Muted text.....	3
GRAYED_OUT_TEXT Grayed out text.....	3
TOPIC_ACTION_TEXT.....	3
Links.....	3
LINK_TEXT_NORMAL Link normal text.....	3
LINK_BACKGROUND_NORMAL Link normal background.....	3
LINK_TEXT_NORMAL_VISITED Link normal text visited.....	3
LINK_TEXT_ACTION_BUTTON Link text.....	3
LINK_TEXT_HOVER Link hover text.....	3
SIDE_BAR_LINK_TEXT Side bar link text.....	3
Disabled.....	4
DISABLED_BORDER Disabled border.....	4
DISABLED_TEXT Disabled text.....	4
DISABLED_BACKGROUND Disabled background.....	4
BUTTON_BORDERS_DISABLED Disabled button borders.....	4
'New'.....	4
NEW_TEXT New text (green).....	4
NEW_BACKGROUND New background (light green).....	4
Alert.....	4
ALERT_TEXT Alert text (red).....	4
ALERT_TEXT_MUTED Muted alert text (dark red).....	4
ALERT_BORDER Alert border.....	4
Buttons.....	4

Table of Contents

Color scheme settings for TWikiNetSkin

BUTTON_TEXT	Button text color (dark gray).....	4
BUTTON_BORDERS	Button borders.....	4
BUTTON_BACKGROUND	Button background.....	5
BUTTON_CANCEL_BACKGROUND	Cancel button background.....	5
SUBMIT_BUTTON_BACKGROUND	Submit button background.....	5
SUBMIT_BUTTON_BORDER_TEXT	Submit button text color.....	5
SELECT_BORDER	Select border.....	5
Background colors.....		5
GENERAL_BACKGROUND	General background color (if not set in MAIN_BACKGROUND_COLOR) (white).....	5
SIDE_BAR_BACKGROUND	Side bar background.....	5
NEUTRAL_BACKGROUND.....		5
TOP_BAR_BACKGROUND	Top bar background.....	5
TOPIC_ACTION_BACKGROUND	Topic action row.....	5
HEADER_BACKGROUND h2.....		5
ATTACHMENT_AND_FORM_BACKGROUND	Attachment, form.....	5
DIFF_HEADER_BACKGROUND	Diff header.....	6
NOTIFICATION_BACKGROUND	Info and notifications.....	6
INFO_BACKGROUND.....		6
Border colors.....		6
NEUTRAL_BORDER	Info (light gray).....	6
SEPARATOR_BORDER.....		6
MINOR_SEPARATOR_BORDER	Header H3..H6 bottom.....	6
LAYOUT_ELEMENT_BORDER	Main layout elements (neutral tone).....	6
IMAGE_BORDER	Image border.....	6
NOTIFICATION_BORDER	Broadcast message.....	6
TOPIC_ACTION_BORDER.....		6
Table colors.....		6
TABLE_DATA_BACKGROUND	Table data background.....	6
TABLE_HEADER_BACKGROUND	Table header background.....	6
TABLE_SELECTED_COLUMN_HEADER_BACKGROUND	Sorted table column accent background.....	7
TABLE_DATA_ODD_BACKGROUND	Table data background (odd row).....	7
TABLE_DATA_EVEN_BACKGROUND	Table data background (even row).....	7
TABLE_DATA_ODD_SELECTED_BACKGROUND	Table data background (odd row, selected column).....	7
TABLE_DATA_EVEN_SELECTED_BACKGROUND	Table data background (even row, selected column).....	7
TABLE_DATA_MIX_BACKGROUND	Table data background (mix between even and odd).....	7
TABLE_BORDER	Table border, sup (light neutral tone).....	7
LINK_TEXT_NORMAL_TABLE_HEADER	Table header link text.....	7
LINK_TEXT_NORMAL_UNDERLINE_TABLE_HEADER	Table header link border.....	7
LINK_TEXT_SORTED_TABLE_HEADER	Sorted table header link text.....	7
LINK_TEXT_HOVER_TABLE_HEADER	Table header link hover text.....	7
LINK_BORDER_TABLE_SELECTED_COLUMN_HEADER	Link border in selected column header.....	7
Forms.....		7
INPUT_FIELD_BORDERS	Input field borders.....	7
FORM_INPUT_BORDER	Textarea, input and select (darker gray).....	8
FORM_BORDER	Form.....	8
ACTIVE_FORM_BACKGROUND	Edit form, form steps.....	8
FORM_STEP_BORDER	Form step border.....	8

Table of Contents

Color scheme settings for TWikiNetSkin

FORMFIELD_ACTIVE Active form field.....	8
---	---

Color scheme settings for TWikiNetSkin

- Set SKIN = twikinet,pattern

Usage

Step 1

Let TWikiNetSkin point to the custom-made colors style sheet. In Main.TWikiPreferences put:

```
* Set USERCOLORSURL = %PUBURLPATH%/%SYSTEMWEB%/TWikiNetSkin/theme-colors.css
```

Step 2

Edit this topic, and change the color variables as you like.

Step 3

Save the topic. This will generate an attachment to topic TWikiNetSkin.

 For more help on customizing styles, see PatternSkinCustomization.

Color variables

TWikiNetSkin specific

SHADE_TOPTOOLBAR_BORDER

- Set SHADE_TOPTOOLBAR_BORDER = #c4cbd6

SHADE_TOPTOOLBAR_BACKGROUND

- Set SHADE_TOPTOOLBAR_BACKGROUND = #e9ecf2

SHADE_SIDE_BAR_STRONG_TEXT

- Set SHADE_SIDE_BAR_STRONG_TEXT = #252b37

SHADE_BLOCKQUOTE_BACKGROUND

- Set SHADE_BLOCKQUOTE_BACKGROUND = #edeff4

SHADE_TWIKIFORM_TABLECELL_BORDER

- Set SHADE_TWIKIFORM_TABLECELL_BORDER = #e6e8ee

SHADE_TWIKITABLE_HEADER_BACKGROUND

- Set SHADE_TWIKITABLE_HEADER_BACKGROUND = #f4f5f9

SHADE_TWIKIFORM_FIRSTCOL_BACKGROUND

- Set SHADE_TWIKIFORM_FIRSTCOL_BACKGROUND = #f9f9fb

SHADE_TWIKIFORM_HEADER_BACKGROUND

- Set SHADE_TWIKIFORM_HEADER_BACKGROUND = #ecefef2

SHADE_BOTTOM_BAR_BACKGROUND

- Set SHADE_BOTTOM_BAR_BACKGROUND = #7d8ca5

SHADE_BOTTOM_BAR_TEXT

- Set SHADE_BOTTOM_BAR_TEXT = #d8dde4

SHADE_ALERT_TEXT

- Set SHADE_ALERT_TEXT = #f60

SHADE_BLUEISH_TEXT

- Set SHADE_BLUEISH_TEXT = #3f4e67

SHADE_DARKISH_TEXT

- Set SHADE_DARKISH_TEXT = #333

SHADE_TOPTOOLBAR_WEBNAME_TEXT

- Set SHADE_TOPTOOLBAR_WEBNAME_TEXT = #3f4e67

SHADE_BROADCASTMESSAGE_BACKGROUND

- Set SHADE_BROADCASTMESSAGE_BACKGROUND = #fff765

Logical groupings

Text

MAIN_TEXT_COLOR Main text color

- Set MAIN_TEXT_COLOR = #252b37

MAIN_BACKGROUND_COLOR Main background color

- Set MAIN_BACKGROUND_COLOR = #fff

LIGHT_ON_DARK_TEXT_COLOR Light on dark text color

- Set LIGHT_ON_DARK_TEXT_COLOR = #fff

GRAYED_TEXT_COLOR

- Set GRAYED_TEXT_COLOR = #7d8ca5

GENERAL_TEXT General text (if not set in MAIN_BACKGROUND_COLOR) (black)

- Set GENERAL_TEXT = #000

HEADER_TEXT Header text

- Set HEADER_TEXT = #f60

CODE_TEXT Code text, left bar text and links

- Set CODE_TEXT = #669

MUTED_TEXT Muted text

- Set MUTED_TEXT = #7d8ca5

GRAYED_OUT_TEXT Grayed out text

- Set GRAYED_OUT_TEXT = #999

TOPIC_ACTION_TEXT

- Set TOPIC_ACTION_TEXT = #97a3b7

Links

LINK_TEXT_NORMAL Link normal text

- Set LINK_TEXT_NORMAL = #36c

LINK_BACKGROUND_NORMAL Link normal background

- Set LINK_BACKGROUND_NORMAL =

LINK_TEXT_NORMAL_VISITED Link normal text visited

- Set LINK_TEXT_NORMAL_VISITED = #707f99

LINK_TEXT_ACTION_BUTTON Link text

- Set LINK_TEXT_ACTION_BUTTON = #36c

LINK_TEXT_HOVER Link hover text

- Set LINK_TEXT_HOVER = #036

SIDE_BAR_LINK_TEXT Side bar link text

- Set SIDE_BAR_LINK_TEXT = #3f4e67

Disabled

DISABLED_BORDER Disabled border

- Set DISABLED_BORDER = #e0e0e0

DISABLED_TEXT Disabled text

- Set DISABLED_TEXT = #aaa

DISABLED_BACKGROUND Disabled background

- Set DISABLED_BACKGROUND = #f8f8f8

BUTTON_BORDERS_DISABLED Disabled button borders

- Set BUTTON_BORDERS_DISABLED = #fff #ccc #ccc #fff

'New'

NEW_TEXT New text (green)

- Set NEW_TEXT = #049804

NEW_BACKGROUND New background (light green)

- Set NEW_BACKGROUND = #ECFADC

Alert

ALERT_TEXT Alert text (red)

- Set ALERT_TEXT = #f00

ALERT_TEXT_MUTED Muted alert text (dark red)

- Set ALERT_TEXT_MUTED = #900

ALERT_BORDER Alert border

- Set ALERT_BORDER = #f00

Buttons

BUTTON_TEXT Button text color (dark gray)

- Set BUTTON_TEXT = #000

BUTTON_BORDERS Button borders

- Set BUTTON_BORDERS = #fff #888 #888 #fff

BUTTON_BACKGROUND Button background

- Set BUTTON_BACKGROUND = #e2e3e3

BUTTON_CANCEL_BACKGROUND Cancel button background

- Set BUTTON_CANCEL_BACKGROUND = #f2d5d0

SUBMIT_BUTTON_BACKGROUND Submit button background

- Set SUBMIT_BUTTON_BACKGROUND = #06c

SUBMIT_BUTTON_BORDER_TEXT Submit button text color

- Set SUBMIT_BUTTON_BORDER_TEXT = #fff

SELECT_BORDER Select border

- Set SELECT_BORDER = #888

Background colors

GENERAL_BACKGROUND General background color (if not set in MAIN_BACKGROUND_COLOR) (white)

- Set GENERAL_BACKGROUND = #fff

SIDE_BAR_BACKGROUND Side bar background

- Set SIDE_BAR_BACKGROUND = #f4f5f8

NEUTRAL_BACKGROUND

- Set NEUTRAL_BACKGROUND = #fdfaf1

TOP_BAR_BACKGROUND Top bar background

- Set TOP_BAR_BACKGROUND = #dfe3ec

TOPIC_ACTION_BACKGROUND Topic action row

- Set TOPIC_ACTION_BACKGROUND = #f8f9fa

HEADER_BACKGROUND h2

- Set HEADER_BACKGROUND = #f8f9fb

ATTACHMENT_AND_FORM_BACKGROUND Attachment, form

- Set ATTACHMENT_AND_FORM_BACKGROUND = #f2f3f6

DIFF_HEADER_BACKGROUND Diff header

- Set DIFF_HEADER_BACKGROUND = #ccc

NOTIFICATION_BACKGROUND Info and notifications

- Set NOTIFICATION_BACKGROUND = #fff9d1

INFO_BACKGROUND

- Set INFO_BACKGROUND = #f4f5f8

Border colors

NEUTRAL_BORDER Info (light gray)

- Set NEUTRAL_BORDER = #d7dbe4

SEPARATOR_BORDER

- Set SEPARATOR_BORDER = #e5e8ed

MINOR_SEPARATOR_BORDER Header H3..H6 bottom

- Set MINOR_SEPARATOR_BORDER = #e5e8ed

LAYOUT_ELEMENT_BORDER Main layout elements (neutral tone)

- Set LAYOUT_ELEMENT_BORDER = #cfcfcf

IMAGE_BORDER Image border

- Set IMAGE_BORDER = #eee

NOTIFICATION_BORDER Broadcast message

- Set NOTIFICATION_BORDER = #fc0

TOPIC_ACTION_BORDER

- Set TOPIC_ACTION_BORDER = #dee2e8

Table colors

TABLE_DATA_BACKGROUND Table data background

- Set TABLE_DATA_BACKGROUND = #f2f3f6

TABLE_HEADER_BACKGROUND Table header background

- Set TABLE_HEADER_BACKGROUND = #d8dde4

TABLE_SELECTED_COLUMN_HEADER_BACKGROUND Sorted table column accent background

- Set TABLE_SELECTED_COLUMN_HEADER_BACKGROUND = #ced4dd

TABLE_DATA_ODD_BACKGROUND Table data background (odd row)

- Set TABLE_DATA_ODD_BACKGROUND = #f2f3f6

TABLE_DATA_EVEN_BACKGROUND Table data background (even row)

- Set TABLE_DATA_EVEN_BACKGROUND = #ffffff

TABLE_DATA_ODD_SELECTED_BACKGROUND Table data background (odd row, selected column)

- Set TABLE_DATA_ODD_SELECTED_BACKGROUND = #e7e9ee

TABLE_DATA_EVEN_SELECTED_BACKGROUND Table data background (even row, selected column)

- Set TABLE_DATA_EVEN_SELECTED_BACKGROUND = #f3f5f7

TABLE_DATA_MIX_BACKGROUND Table data background (mix between even and odd)

- Set TABLE_DATA_MIX_BACKGROUND = #e7e9ee

TABLE_BORDER Table border, sup (light neutral tone)

- Set TABLE_BORDER = #e7e9ef

LINK_TEXT_NORMAL_TABLE_HEADER Table header link text

- Set LINK_TEXT_NORMAL_TABLE_HEADER = #252b37

LINK_TEXT_NORMAL_UNDERLINE_TABLE_HEADER Table header link border

- Set LINK_TEXT_NORMAL_UNDERLINE_TABLE_HEADER = #252b37

LINK_TEXT_SORTED_TABLE_HEADER Sorted table header link text

- Set LINK_TEXT_SORTED_TABLE_HEADER = #252b37

LINK_TEXT_HOVER_TABLE_HEADER Table header link hover text

- Set LINK_TEXT_HOVER_TABLE_HEADER = #252b37

LINK_BORDER_TABLE_SELECTED_COLUMN_HEADER Link border in selected column header

- Set LINK_BORDER_TABLE_SELECTED_COLUMN_HEADER = #252b37

Forms

INPUT_FIELD_BORDERS Input field borders

- Set INPUT_FIELD_BORDERS = #bbc3d1 #c3cad7 #c3cad7 #bbc3d1

FORM_INPUT_BORDER Textarea, input and select (darker gray)

- Set FORM_INPUT_BORDER = #aaa

FORM_BORDER Form

- Set FORM_BORDER = #dee2e8

ACTIVE_FORM_BACKGROUND Edit form, form steps

- Set ACTIVE_FORM_BACKGROUND = #f4f5f8

FORM_STEP_BORDER Form step border

- Set FORM_STEP_BORDER = #dee2e8

FORMFIELD_ACTIVE Active form field

- Set FORMFIELD_ACTIVE = #fff9d1

Do not change the text below this line unless you know what you are doing!

```
%STARTATTACH{"theme-colors.css" web="%SYSTEMWEB%" topic="TWikiNetSkin"}%
/* PatternSkin colors */
/* Generated by AttachContentPlugin from %WEB%.%TOPIC% */

/* LAYOUT ELEMENTS */

#patternTopBar {
    background-color:%TOP_BAR_BACKGROUND%;
}
#patternMain { /* don't set a background here; use patternOuter */ }
#patternOuter {
    background-color:%MAIN_BACKGROUND_COLOR%; /* Sets background of center col */
    border-color:%LAYOUT_ELEMENT_BORDER%;
}
#patternLeftBar,
#patternWrapper {
    background-color:%MAIN_BACKGROUND_COLOR%;
}
#patternBottomBar {
    background-color:%SHADE_BOTTOM_BAR_BACKGROUND%;
}
#patternBottomBarContents,
#patternBottomBarContents a:link,
#patternBottomBarContents a:visited {
    color:%SHADE_BOTTOM_BAR_TEXT%;
}
#patternBottomBarContents a:hover {
    color:%LIGHT_ON_DARK_TEXT_COLOR%;
}

/* GENERAL HTML ELEMENTS */

html body {
    background-color:%SHADE_BOTTOM_BAR_BACKGROUND%;
    color:%MAIN_TEXT_COLOR%;
}
/* be kind to netscape 4 that doesn't understand inheritance */
body, p, li, ul, ol, dl, dt, dd, acronym, h1, h2, h3, h4, h5, h6 {
    background-color:transparent;
}
```

```

hr {
    color:%SEPARATOR_BORDER%;
    background-color:%SEPARATOR_BORDER%;
}
pre, code, tt {
    color:%CODE_TEXT%;
}
blockquote {
    background-color:%SHADE_BLOCKQUOTE_BACKGROUND%;
    border-color:%NEUTRAL_BORDER%;
}
h1, h2, h3, h4, h5, h6 {
    color:%HEADER_TEXT%;
}
/* to override old Render.pm coded font color style */
.twikiNewLink font {
    color:inherit;
}
.twikiNewLink a:link sup,
.twikiNewLink a:visited sup {
    color:%MUTED_TEXT%;
    border-color:%NEUTRAL_BORDER%;
}
.twikiNewLink a:hover sup {
    color:%LINK_TEXT_HOVER%;
    border-color:%LINK_TEXT_HOVER%;
}
.twikiNewLink {
    border-color:%NEUTRAL_BORDER%;
}
:link:focus,
:visited:focus,
:link,
:visited,
:link:active,
:visited:active {
    color:%LINK_TEXT_NORMAL%;
    background-color:transparent;
}
:link:hover,
:visited:hover {
    color:%LINK_TEXT_HOVER%;
    background-color:transparent;
    background-image:none;
    text-decoration:underline;
}
:link:hover img,
:visited:hover img {
    background-color:transparent;
}
.patternTopic a:visited {
    color:%LINK_TEXT_NORMAL_VISITED%;
}
.patternTopic a:hover {
    color:%LINK_TEXT_HOVER%;
}
#patternMainContents h1 a:link, #patternMainContents h1 a:visited,
#patternMainContents h2 a:link, #patternMainContents h2 a:visited,
#patternMainContents h3 a:link, #patternMainContents h3 a:visited,
#patternMainContents h4 a:link, #patternMainContents h4 a:visited,
#patternMainContents h5 a:link, #patternMainContents h5 a:visited,
#patternMainContents h6 a:link, #patternMainContents h6 a:visited {
    color:%HEADER_TEXT%;
}
#patternMainContents h1 a:hover,
#patternMainContents h2 a:hover,
#patternMainContents h3 a:hover,

```

```

.patternMainContents h4 a:hover,
.patternMainContents h5 a:hover,
.patternMainContents h6 a:hover {
    color:%LINK_TEXT_HOVER%;
}
.patternTopic .twikiUnvisited a:visited {
    color:%LINK_TEXT_NORMAL%;
}
.patternTopic .twikiUnvisited a:hover {
    color:%LINK_TEXT_HOVER%;
}
.patternTop a:hover {
    border:none;
    color:%LINK_TEXT_HOVER%;
}

/* Form elements */

textarea,
input,
select {
    border-color:%FORM_INPUT_BORDER%;
    color:%SHADE_BLUEISH_TEXT%;
    background-color:%GENERAL_BACKGROUND%;
}
.twikiSubmit,
.twikiButton {
    border-color:%BUTTON_BORDERS%;
}
.twikiSubmit {
    color:%SUBMIT_BUTTON_BORDER_TEXT%;
    background-color:%SUBMIT_BUTTON_BACKGROUND%;
}
.twikiButton {
    color:%BUTTON_TEXT%;
    background-color:%BUTTON_BACKGROUND%;
}
.twikiButtonCancel {
    color:%BUTTON_TEXT%;
    background-color:%BUTTON_CANCEL_BACKGROUND%;
}
.twikiSubmitDisabled,
.twikiSubmitDisabled:active {
    border-color:%BUTTON_BORDERS_DISABLED%;
    color:%DISABLED_TEXT%;
    background-color:%ACTIVE_FORM_BACKGROUND%;
}
.twikiTextarea,
.twikiInputField,
.twikiInputFieldDisabled,
.twikiInputFieldReadOnly,
.twikiSelect {
    border-color:%INPUT_FIELD_BORDERS%;
}
.twikiTextarea,
.twikiInputField,
.twikiSelect {
    color:%MAIN_TEXT_COLOR%;
    background-color:%MAIN_BACKGROUND_COLOR%;
}
.twikiInputField:active,
.twikiInputField:focus {
    background-color:%FORMFIELD_ACTIVE%;
}
.twikiTextareaRawView {
    color:%SHADE_BLUEISH_TEXT%;
}

```

```

.twikiInputFieldDisabled {
    color:%DISABLED_TEXT%;
    background-color:%DISABLED_BACKGROUND%;
}
.twikiInputFieldReadOnly {
    color:%GRAYED_TEXT_COLOR%;
}
.twikiSelect {
    border-color:%INPUT_FIELD_BORDERS%;
    color:%SHADE_BLUEISH_TEXT%;
    background-color:%MAIN_BACKGROUND_COLOR%;
}
.twikiInputFieldDisabled,
.twikiSelectDisabled {
    color:%DISABLED_TEXT%;
    border-color:%INPUT_FIELD_BORDERS%;
    background-color:%DISABLED_BACKGROUND%;
}
.twikiInputFieldBeforeFocus {
    color:%MUTED_TEXT%;
}

/*
----- Plugin elements -----
*/
/* TablePlugin */

.twikiTable,
.twikiTable td {
    border-color:%TABLE_BORDER%;
}
.twikiTable th {
    border-color:%LIGHT_ON_DARK_TEXT_COLOR%;
}
.twikiTable th.twikiFirstCol {
    border-left-color:%SHADE_TWIKITABLE_HEADER_BACKGROUND%;
}
.twikiTable th.twikiLastCol {
    border-right-color:%SHADE_TWIKITABLE_HEADER_BACKGROUND%;
}
.twikiTable th a:link,
.twikiTable th a:visited,
.twikiTable th a font {
    color:%LINK_TEXT_NORMAL_TABLE_HEADER%;
}

/* TwistyContrib */
.twistyPlaceholder {
    color:%GRAYED_OUT_TEXT%;
}
a:hover.twistyTrigger {
    color:%LINK_TEXT_HOVER%;
}

/* RevCommentPlugin */
.revComment .patternTopicAction {
    background-color:%ATTACHMENT_AND_FORM_BACKGROUND%;
}

/*
----- TWiki styles -----
*/
.twikiGrayText {
    color:%GRAYED_OUT_TEXT%;
}

```

```

.twikiGrayText a:link,
.twikiGrayText a:visited {
    color:%GRAYED_OUT_TEXT%;
}
.twikiGrayText a:hover {
    color:%LINK_TEXT_HOVER%;
}

.twikiAttachments .twikiTable th {
    border-top-color:%ATTACHMENT_AND_FORM_BACKGROUND%;
}
.twikiAttachments .twikiTable th,
.twikiForm th {
    background-color:%SHADE_TWIKIFORM_HEADER_BACKGROUND%;
}
.twikiAttachments .twikiTable th.twikiFirstCol {
    border-left-color:%SHADE_TWIKITABLE_HEADER_BACKGROUND%;
}
.twikiAttachments .twikiTable th.twikiLastCol {
    border-right-color:%SHADE_TWIKITABLE_HEADER_BACKGROUND%;
}
.twikiFormTable td,
.twikiFormTable th {
    border-color:%SHADE_TWIKIFORM_TABLECELL_BORDER%;
}
.patternContent .twikiForm td.twikiFirstCol,
.patternEditPage .twikiFormTable th {
    background-color:%SHADE_TWIKIFORM_FIRSTCOL_BACKGROUND%;
    color:%SHADE_BLUEISH_TEXT%;
}
.patternContent .twikiForm td,
.patternEditPage .twikiFormTable td {
    background-color:%TABLE_DATA_EVEN_BACKGROUND%;
    color:%LINK_TEXT_NORMAL_TABLE_HEADER%;
}
.twikiEditForm {
    color:%SHADE_BLUEISH_TEXT%;
}

.twikiFormStep {
    border-top-color:%TOPIC_ACTION_BACKGROUND%;
    border-bottom-color:%FORM_STEP_BORDER%;
}
.twikiFormStep h3,
.twikiFormStep h4 {
    color:%SHADE_BLUEISH_TEXT%;
}
.twikiFormStep h2,
.twikiFormStep h3,
.twikiFormStep h4 {
    background-color:transparent;
    background-image:none;
}
.twikiActionFormStepSign {
    color:%NEUTRAL_BORDER%;
}
.twikiToc .twikiTocTitle {
    color:%MUTED_TEXT%;
}
.twikiBroadcastMessage {
    background-color:%SHADE_BROADCASTMESSAGE_BACKGROUND%;
    border-color:%NOTIFICATION_BORDER%;
    color:%SHADE_DARKISH_TEXT%;
}
.twikiNotification {
    background-color:%NOTIFICATION_BACKGROUND%;
}

```

```

.twikiHelp {
    background-color:%ATTACHMENT_AND_FORM_BACKGROUND%;
    color:%SHADE_DARKISH_TEXT%;
    border-color:%SEPARATOR_BORDER%;
}
.twikiHelp b,
.twikiHelp strong,
.twikiHelp h1,
.twikiHelp h2,
.twikiHelp h3,
.twikiHelp h4,
.twikiHelp h5,
.twikiHelp h6 {
    color:%SHADE_ALERT_TEXT%;
}
.twikiBroadcastMessage b,
.twikiBroadcastMessage strong {
    color:%ALERT_TEXT%;
}
.twikiAlert,
.twikiAlert code {
    color:%ALERT_TEXT%;
}
.twikiEmulatedLink {
    color:%LINK_TEXT_NORMAL%;
}
.twikiPageForm table {
    border-color:%TABLE_BORDER%;
    background:%MAIN_BACKGROUND_COLOR%;
}
.twikiPageForm hr {
    border-color:%FORM_BORDER%;
    background-color:%FORM_BORDER%;
    color:%FORM_BORDER%;
}
.twikiAccessKey {
    color:inherit;
    border-color:%GRAYED_OUT_TEXT%;
}
a:link .twikiAccessKey,
a:visited .twikiAccessKey {
    color:inherit;
}
a:hover .twikiAccessKey {
    color:inherit;
}
.twikiImage img {
    border-color:%IMAGE_BORDER%;
    background-color:%MAIN_BACKGROUND_COLOR%;
}
#patternTopBar .twikiImage img {
    background-color:transparent;
}
.twikiImage a:hover img {
    border-color:%LINK_TEXT_HOVER%;
}

/* -----
   Pattern skin specific elements
----- */ 
#patternPage {
    background-color:%MAIN_BACKGROUND_COLOR%;
}
.patternTop,
.patternHomePath .patternRevInfo,
.patternRevInfo {
    color:%GRAYED_TEXT_COLOR%;
```

```

}

.patternRevInfo a:link,
.patternRevInfo a:visited {
    color:%GRAYED_TEXT_COLOR%;
}
.patternRevInfo a:hover {
    color:%LINK_TEXT_HOVER%;
}
.patternHomePath .patternRevInfo a:link,
.patternHomePath .patternRevInfo a:visited {
    color:%LINK_TEXT_NORMAL%;
}
.patternHomePath {
    color:%SHADE_BLUEISH_TEXT%;
}
.patternHomePath a:link,
.patternHomePath a:visited {
    color:%LINK_TEXT_NORMAL%;
}
.patternHomePath a:hover {
    color:%LINK_TEXT_HOVER%;
    text-decoration:underline;
}
.patternHomePath .twikiSeparator {
    color:%GRAYED_TEXT_COLOR%;
}

/* Left bar */
#patternLeftBarContents,
#patternLeftBarContents .patternLeftBarPersonal {
    background:none;
    background-image:none;
}

#patternLeftBarContents,
#patternLeftBarContents a:link,
#patternLeftBarContents a:visited,
#patternLeftBarContents .patternLeftBarPersonal a:link,
#patternLeftBarContents .patternLeftBarPersonal a:visited {
    color:%SHADE_BLUEISH_TEXT%;
}
#patternLeftBarContents strong,
#patternLeftBarContents b {
    color:%SHADE_SIDE_BAR_STRONG_TEXT%;
    text-decoration:none;
}
#patternLeftBarContents a:hover,
#patternLeftBarContents .patternLeftBarPersonal a:hover,
#patternLeftBarContents strong a:hover,
#patternLeftBarContents strong .patternLeftBarPersonal a:hover,
#patternLeftBarContents b a:hover,
#patternLeftBarContents b .patternLeftBarPersonal a:hover {
    color:%LINK_TEXT_HOVER%;
    text-decoration:underline;
}

#patternLeftBarContents hr {
    color:%SEPARATOR_BORDER%;
    background-color:%SEPARATOR_BORDER%;
}
.patternTopicActions {
    border-color:%MINOR_SEPARATOR_BORDER%;
    background-color:%TOPIC_ACTION_BACKGROUND%;
    color:%TOPIC_ACTION_TEXT%;
}
.patternTopicAction s,
.patternTopicAction strike {

```

```

        color:%DISABLED_TEXT%;

}

.patternTopicAction .twikiSeparator {
    color:#bec5d2;
}

.patternActionButtons a:link,
.patternActionButtons a:visited {
    color:%LINK_TEXT_ACTION_BUTTON%;
}

.patternActionButtons a:hover {
    color:%LINK_TEXT_HOVER%;
}

.patternTopicAction .twikiAccessKey {
    color:%LINK_TEXT_ACTION_BUTTON%;
    border-color:%LINK_TEXT_ACTION_BUTTON%;
}

.patternTopicAction a:hover .twikiAccessKey {
    color:%LINK_TEXT_HOVER%;
}

.patternTopicAction label {
    color:%GENERAL_TEXT%;
}

.patternHelpCol {
    color:%GRAYED_OUT_TEXT%;
}

.patternSigLine {
    color:%SHADE_BLUEISH_TEXT%;
}

.patternToolBar a:link .twikiAccessKey,
.patternToolBar a:visited .twikiAccessKey {
    color:inherit;
    border-color:#333;
}

.patternToolBar a:hover .twikiAccessKey {
    background-color:transparent;
    color:inherit;
    border-color:#333;
}

.patternSaveHelp {
    background-color:%MAIN_BACKGROUND_COLOR%;
}

/* WebSearch, WebSearchAdvanced */
table#twikiSearchTable {
    border-color:%FORM_STEP_BORDER%;
}

table#twikiSearchTable th,
table#twikiSearchTable td {
    background-color:%GENERAL_BACKGROUND%;
    border-color:%FORM_STEP_BORDER%;
}

table#twikiSearchTable hr {
    border-color:%FORM_STEP_BORDER%;
    background-color:%FORM_STEP_BORDER%;
}

table#twikiSearchTable th {
    color:%SHADE_BLUEISH_TEXT%;
}

/*
----- Search results
----- styles and overridden styles used in search.pattern.tmpl
----- */
h3.patternSearchResultsHeader,
h4.patternSearchResultsHeader {
    background-color:%ATTACHMENT_AND_FORM_BACKGROUND%;
```

```

        border-color:%SEPARATOR_BORDER%;
    }
h4.patternSearchResultsHeader {
    color:%SHADE_BLUEISH_TEXT%;
}
.patternNoViewPage h4.patternSearchResultsHeader {
    color:%HEADER_TEXT%;
}
.patternSearchResult .twikiBottomRow {
    border-color:%MINOR_SEPARATOR_BORDER%;
}
.patternSearchResult .twikiAlert {
    color:%ALERT_TEXT%;
}
.patternSearchResult .twikiSummary .twikiAlert {
    color:%ALERT_TEXT_MUTED%;
}
.patternSearchResult .twikiNew {
    background-color:%NEW_BACKGROUND%;
    border-color:%NEW_TEXT%;
    color:%NEW_TEXT%;
}
.patternViewPage .patternSearchResultsBegin {
    border-color:%TABLE_BORDER%;
}

/* Search results in book view format */

.patternBookView .twikiTopRow {
    background-color:transparent; /* set to WEBGCOLOR in css.pattern tmpl */
    color:%MUTED_TEXT%;
}
.patternBookView .twikiBottomRow {
    border-color:%TABLE_BORDER%;
}
.patternBookView .patternSearchResultCount {
    color:%GRAYED_OUT_TEXT%;
}

/* preview.pattern tmpl */

.twikiPreviewArea {
    border-color:%ALERT_BORDER%;
    background-color:%MAIN_BACKGROUND_COLOR%;
}

/* rdiff.pattern tmpl */

.patternDiff {
    border-color:%TABLE_HEADER_BACKGROUND%;
}
.patternDiff h4.patternSearchResultsHeader {
    background-color:%TABLE_HEADER_BACKGROUND%;
    color:%LIGHT_ON_DARK_TEXT_COLOR%;
}
.patternDiff h4.patternSearchResultsHeader a:link,
.patternDiff h4.patternSearchResultsHeader a:visited {
    color:%LIGHT_ON_DARK_TEXT_COLOR%;
}
tr.twikiDiffDebug td {
    border-color:%TABLE_BORDER%;
}
.patternDiffPage .twikiDiffTable th {
    background-color:%DIFF_HEADER_BACKGROUND%;
}
/* Changed */
.twikiDiffChangedHeader,

```

TWikiNetSkinColorSettings < TWiki < TWiki

```
tr.twikiDiffDebug .twikiDiffChangedText,
tr.twikiDiffDebug .twikiDiffChangedText {
    background:#9f9; /* green - do not change */
}
/* Deleted */
.twikiDiffDeletedHeader,
tr.twikiDiffDebug .twikiDiffDeletedMarker,
tr.twikiDiffDebug .twikiDiffDeletedText {
    background-color:#f99; /* red - do not change */
}
/* Added */
.twikiDiffAddedHeader,
tr.twikiDiffDebug .twikiDiffAddedMarker,
tr.twikiDiffDebug .twikiDiffAddedText {
    background-color:#ccf; /* violet - do not change */
}
/* Unchanged */
tr.twikiDiffDebug .twikiDiffUnchangedText {
    color:%GRAYED_OUT_TEXT%;
}
.twikiDiffUnchangedTextContents { }
.twikiDiffLineNumberHeader {
    background-color:%DIFF_HEADER_BACKGROUND%;
}

/* IMAGES */
/* image positions are set here as well as these are dependent on the image */

.patternTopic h2.twikinetRoundedAttachments {
    padding-top:0;
    padding-right:11px;
    background:url(bg_header_right.gif) top right no-repeat;
}
.patternTopic h2.twikinetRoundedAttachments .twikinetHeader {
    display:block;
    padding-top:.4em; /* same as h2 */
    padding-left:11px;
    padding-right:11px;
    margin-left:-11px;
    background:url(bg_header.gif) top left no-repeat;
}
.patternTopic .twikiFormSteps h2.twikinetRoundedAttachments,
.patternTopic .twikiFormSteps h2.twikinetRoundedAttachments .twikinetHeader,
.patternTopic blockquote h2.twikinetRoundedAttachments,
.patternTopic blockquote h2.twikinetRoundedAttachments .twikinetHeader {
    background:none;
}
.twikiToc li {
    background-image:url(bullet-toc.gif);
    background-repeat:no-repeat;
    background-position:0 .4em;
}
#patternTopBar {
    background-image:url(bg_topbar_gradient.gif);
    background-repeat:repeat-x;
}
#twikinetLogo {
    background-image:url(logo_twiki_net_faded.gif);
    background-repeat:no-repeat;
}
#patternLeftBar,
#patternWrapper {
    background-image:url(bg_leftbar_gradient.gif);
    background-repeat:repeat-y;
}
.patternPrintPage #patternOuter {
```

TWikiNetSkinColorSettings < TWiki < TWiki

```
background:#fff; /* white - do not change */
}

/* start buttons */
.twikiSubmit,
.twikiSubmitDisabled {
    background-image:url(bg_button_submit.gif);
    background-repeat:repeat-x;
}
.twikiSubmit,
a.twikiSubmit:link,
a.twikiSubmit:visited {
    background-position:0px 0px;
    background-color:#9eaf0;
    border-color:#dee4f0 #96a3bc #96a3bc #dee4f0;
    color:%SHADE_BLUEISH_TEXT%;
}
.twikiSubmit:hover,
a.twikiSubmit:hover {
    background-position:0px -80px;
    background-color:#7589b2;
    border-color:#cbd3e4 #8391af #8391af #cbd3e4;
    color:%SHADE_BLUEISH_TEXT%;
}
.twikiSubmit:active,
a.twikiSubmit:active {
    background-position:0px -160px;
    background-color:#fff;
    border-color:#96a3bc #dee4f0 #dee4f0 #96a3bc;
    color:%SHADE_BLUEISH_TEXT%;
}
.twikiButton,
.a.twikiButton:link,
.a.twikiButton:visited {
    background-image:url(bg_button.gif);
    background-repeat:repeat-x;
    background-position:0px 0px;
    border-color:#e9ebf1 #a2adbf #a2adbf #e9ebf1;
    background-color:#d9dee7;
    color:%SHADE_BLUEISH_TEXT%;
}
.twikiButton:hover,
.twikiChangeFormButtonHolder .twikiButton:hover,
.a.twikiButton:hover {
    background-position:0px -80px;
    border-color:#e9ebf1 #a2adbf #a2adbf #e9ebf1;
    background-color:#fff;
    color:%SHADE_DARKISH_TEXT%;
}
.twikiButton:active,
.twikiChangeFormButtonHolder .twikiButton:active,
.a.twikiButton:active {
    background-position:0px -160px;
    border-color:#a2adbf #e9ebf1 #e9ebf1 #a2adbf;
    background-color:#fff;
    color:%SHADE_DARKISH_TEXT%;
}
.twikiSubmitDisabled,
.twikiSubmitDisabled:hover,
.twikiSubmitDisabled:active,
.twikiButtonDisabled,
.twikiButtonDisabled:hover,
.twikiButtonDisabled:active {
    background-image:url(bg_button.gif);
    background-repeat:repeat-x;
    background-position:0px -240px;
    border-color:#dce0e7;
```

```

background-color:#e1e5ed;
color:#ccc;
}
.twikiButtonCancel {
background-image:url(bg_button_cancel.gif);
background-repeat:repeat-x;
background-position:0px 0px;
border-color:#fcdfc0 #cca6ae #cca6ae #fcdfc0;
background-color:#c6afb6;
color:%SHADE_BLUEISH_TEXT%;
}
.twikiButtonCancel:hover {
background-position:0px -80px;
border-color:#fcdfc0 #cca6ae #cca6ae #fcdfc0;
background-color:#b19aa0;
color:%SHADE_DARKISH_TEXT%;
}
.twikiButtonCancel:active {
background-position:0px -160px;
border-color:#cca6ae #fcdfc0 #fcdfc0 #cca6ae;
background-color:#fce2e2;
color:%SHADE_DARKISH_TEXT%;
}
/* end buttons */

.patternToolBar .patternButton a:link,
.patternToolBar .patternButton a:visited,
.patternToolBar .patternButton s,
.patternToolBar .patternButton strike {
background-image:url(bg_button.gif);
background-repeat:repeat-x;
}
.patternToolBar .patternButton a:link,
.patternToolBar .patternButton a:visited {
background-position:0px 0px;
border-color:#f8f6ec #b8b6ad #b8b6ad #f8f6ec;
background-color:#dbd9cf;
color:#333;
}
.patternToolBar .patternButton a:hover {
background-position:0px -80px;
border-color:#f4f2eb #a3a092 #a3a092 #f4f2eb;
background-color:#c2bfaf;
color:#222;
}
.patternToolBar .patternButton a:active {
background-position:0px -160px;
border-color:#a3a092 #f4f2eb #f4f2eb #a3a092;
background-color:#e8e5d7;
color:#222;
}
.patternToolBar .patternButton s,
.patternToolBar .patternButton strike {
background-position:0px -240px;
border-color:#fcfbf9 #e3e2dd #e3e2dd #fcfbf9;
background-color:#e6e6e6;
color:%DISABLED_TEXT%;
}
.patternTextareaButton {
border-color:#e9ebf1 #a2adb #a2adb #e9ebf1;
overflow:hidden;
}
.patternButtonFontSelector {
background-image:url(button_font_selector.gif);
width:33px;
height:16px;
}

```

TWikiNetSkinColorSettings < TWiki < TWiki

```
.patternButtonFontSelectorProportional {
    background-position:0 0;
}
.patternButtonFontSelectorMonospace {
    background-position:0 -16px;
}
.patternButtonEnlarge,
.patternButtonShrink {
    background-image:url(button_arrow.gif);
    width:16px;
    height:16px;
}
.patternButtonEnlarge {
    background-position:0 0;
}
.patternButtonEnlarge:hover {
    background-position:0 -42px;
}
.patternButtonEnlarge:active {
    background-position:0 -84px;
}
.patternButtonShrink {
    background-position:16px 0;
}
.patternButtonShrink:hover {
    background-position:16px -42px;
}
.patternButtonShrink:active {
    background-position:16px -84px;
}

/* common settings */
.patternLeftBarPersonal li,
li.patternLogOut,
li.patternLogIn {
    padding-left:13px;
    background-position:0 .4em;
    background-repeat:no-repeat;
}
.patternLeftBarPersonal li {
    background-image:url(bullet-personal_sidebar.gif);
}
.patternLeftBarPersonal li.patternLogOut {
    background-image:url(bullet-lock.gif);
}
.patternLeftBarPersonal li.patternLogIn {
    background-image:url(bullet-lock.gif);
}

/* TWikiNetSkin colors */

#twikinetTopToolBar {
    border-color:%SHADE_TOPTOOLBAR_BORDER%;
    background-color:%SHADE_TOPTOOLBAR_BACKGROUND%;
}
.twikinetWebName h2,
.twikinetWebName a:link,
.twikinetWebName a:visited {
    background:none;
    color:%SHADE_TOPTOOLBAR_WEBNAME_TEXT%;
}

/* TWikiNetSkin images */

#twikinetTopToolBar {
    background-image:url(bg_toptoolbar_gradient.gif);
    background-repeat:repeat-x;
```

```

}

/* background behind search and jump */
.twikinetSearchJumpLeft {
    background-image:url(bg_search_jump.gif);
    background-repeat:no-repeat;
}
.twikinetSearchJumpRight {
    background-image:url(bg_search_jump.gif);
    background-repeat:no-repeat;
    background-position:top right;
    width:5px;
}
.twikiInputField,
.twikiInputFieldReadOnly,
.twikiSelect {
    background-image:url(bg_inputfield.gif);
}
.twikiInputField:active,
.twikiInputField:focus {
    background-image:url(bg_inputfield_active.gif);
}
.twikinetJumpButton {
    background-image:url(button_jump.gif);
}
.twikinetJumpButton:hover,
.twikinetJumpButton:active {
    background-image:url(button_jump_hover.gif);
}
.twikinetSearchButton {
    background-image:url(button_search.gif);
}
.twikinetSearchButton:hover,
.twikinetSearchButton:active {
    background-image:url(button_search_hover.gif);
}
.twikinetToolBar a:link .rCRounded .rCTR,
.twikinetToolBar a:link .rCRounded .rCTL,
.twikinetToolBar a:link .rCRounded .rCBR,
.twikinetToolBar a:link .rCRounded .rCBL,
.twikinetToolBar a:visited .rCRounded .rCTR,
.twikinetToolBar a:visited .rCRounded .rCTL,
.twikinetToolBar a:visited .rCRounded .rCBR,
.twikinetToolBar a:visited .rCRounded .rCBL {
    background-image:url(button_action.gif);
}
.twikinetToolBar a:hover .rCRounded .rCTR,
.twikinetToolBar a:hover .rCRounded .rCTL,
.twikinetToolBar a:hover .rCRounded .rCBR,
.twikinetToolBar a:hover .rCRounded .rCBL {
    background-image:url(button_action_hover.gif);
}
.twikinetToolBar strike .rCRounded .rCTR,
.twikinetToolBar strike .rCRounded .rCTL,
.twikinetToolBar strike .rCRounded .rCBR,
.twikinetToolBar strike .rCRounded .rCBL {
    background-image:url(button_action_disabled.gif);
}
.twikinetToolBar a .twikiLinkLabel {
    color:%SHADE_BLUEISH_TEXT%;
}
.twikinetToolBar strike .twikiLinkLabel {
    color:#cf3d9;
}
.twikinetToolBar .twikinetEditIcon {
    background-image:url(button_edit_icon.gif);
    background-repeat:no-repeat;
}

```

```

background-position:2px 1px;
padding-left:25px;
}
.twikiTable th {
background-image:url(bg_table_header_gradient.gif);
background-repeat:repeat-x;
}
.twikiTable th.twikiSortedCol {
background-image:url(bg_table_header_sorted_gradient.gif);
background-repeat:repeat-x;
}

/* Rounded table */

.twikinetWrapperTableT {
background-color:%SHADE_TWIKITABLE_HEADER_BACKGROUND%;
}
.twikinetWrapperTable table.twikiTable th {
border-top-color:%SHADE_TWIKITABLE_HEADER_BACKGROUND%;
}
.twikinetWrapperTableTL {
background-image:url(table_corner_TL.gif);
background-repeat:no-repeat;
}
.twikinetWrapperTableTR {
background-image:url(table_corner_TR.gif);
background-repeat:no-repeat;
background-position:100% 0;
}
.twikinetWrapperTableB {
background-color:%NEUTRAL_BORDER%;
}
.twikinetWrapperTableBL {
background-image:url(table_corner_BL.gif);
background-repeat:no-repeat;
background-position:0 100%;
height:10px;
}
.twikinetWrapperTableBR {
background-image:url(table_corner_BR.gif);
background-repeat:no-repeat;
background-position:100% 100%;
height:10px;
}
.twikiAttachments .twikiTable th,
.twikiForm th.twikiFormTableHRow {
background-image:url(bg_attachments_header_gradient.gif);
background-repeat:repeat-x;
}
.twikiAttachments .twikiTable th.twikiFirstCol,
.twikiForm th.twikiFormTableHRow {
/* hide left line */
background-position:-1px 0;
}
.twikiAttachments .twikiTable th.twikiSortedCol,
.twikiForm th.twikiSortedCol {
background-image:url(bg_attachments_header_sorted_gradient.gif);
}
.twikiAttachments .twikiTable td.twikiSortedCol,
.twikiForm td.twikiSortedCol {
border-color:#dbdee7;
}

/* Generic rounded objects, for twikiAttachments, twikiForm and twikiHelp */
.twikinetRounded,
.twikiFormSteps {
background-color:%ATTACHMENT_AND_FORM_BACKGROUND%;
```

TWikiNetSkinColorSettings < TWiki < TWiki

```
background-image:url(bg_form_bottom_gradient.gif);
background-repeat:repeat-x;
background-position:0 100%;
}
.twikinetRounded .rCRounded .rCTL {
    background-image:url(rounded_TL.gif);
}
.twikinetRounded .rCRounded .rCTR {
    background-image:url(rounded_TR.gif);
}
.twikinetRounded .rCRounded .rCBL {
    background-image:url(rounded_BL.gif);
}
.twikinetRounded .rCRounded .rCBR {
    background-image:url(rounded_BR.gif);
}

.twikinetRoundedTopicActions {
    background:none;
}
.twikinetRoundedTopicActions .rCRounded .rCTL,
.twikinetRoundedTopicActions .rCRounded .rCTR,
.twikinetRoundedTopicActions .rCRounded .rCBL,
.twikinetRoundedTopicActions .rCRounded .rCBR {
    background-image:url(bg_topicactions.gif);
}

.twikinetRoundedBroadcastMessage .rCRounded .rCTL,
.twikinetRoundedBroadcastMessage .rCRounded .rCTR,
.twikinetRoundedBroadcastMessage .rCRounded .rCBL,
.twikinetRoundedBroadcastMessage .rCRounded .rCBR {
    background-image:url(bg_broadcastmessage.gif);
}
.twikinetRoundedBroadcastMessage .twikiBroadcastMessage {
    background-image:url(icon_alert.gif);
    background-repeat:no-repeat;
    background-position:9px 12px;
    padding-left:64px;
    min-height:33px; /* at least height of icon */
}
.twikinetRoundedHelp {
    background:none;
}
.twikinetRoundedHelp .rCRounded .rCTL,
.twikinetRoundedHelp .rCRounded .rCTR,
.twikinetRoundedHelp .rCRounded .rCBL,
.twikinetRoundedHelp .rCRounded .rCBR {
    background-image:url(bg_help.gif);
}

#patternBottomBar {
    background-image:url(bg_bottom_gradient.gif);
    background-repeat:repeat-x;
}
#patternBottomBarContents #twikinetBadge {
    float:right;
    margin-left:10px;
}

#attachhelpshow img,
#attachhelphide img,
#topicattachmentslistshow img,
#topicattachmentslisthide img,
#edithelpshow img,
#edithelphide img,
#renamehelpshow img,
#renamehelphide img{
```

```

        visibility:hidden;
    }
#attachhelpshow,
#attachhelphide,
#topicattachmentslistshow,
#topicattachmentslisthide,
#edithelpshow,
#edithelphide,
#renamehelphide,
#renamehelpshow {
    padding:0 0 0 7px;
    margin:0 0 0 3px;
}
#attachhelpshow,
#topicattachmentslistshow,
#edithelpshow,
#renamehelpshow {
    background:url(twisty_in.gif) no-repeat;
    background-position:0 .1em;
    background-position:0 50%;
}
#attachhelphide,
#topicattachmentslisthide,
#edithelphide,
#renamehelphide {
    background:url(twisty_out.gif) no-repeat;
    background-position:0 .1em;
    background-position:0 50%;
}

/* Preloads button hover images */
.twikinetImageLoader {
    background:url(button_action.gif);
    background:url(button_action_hover.gif);
    background:url(button_action_disabled.gif);
    background:url(twisty_in.gif);
    background:url(twisty_out.gif);
    background:url(button_search_hover.gif);
    background:url(button_jump_hover.gif);
    visibility:hidden;
    height:1px;
}
%ENDATTACH%

```

Related topics: TWikiNetSkin, TWikiSkins

This topic: TWiki > TWikiNetSkinColorSettings

Topic revision: r1 - 2010-05-16 - TWikiContributor



Copyright © 1999-2024 by the contributing authors. All material on this collaboration platform is the property of the contributing authors.

Ideas, requests, problems regarding TWiki? Send feedback

Note: Please contribute updates to this topic on TWiki.org at TWiki:TWiki.TWikiNetSkinColorSettings.